


TORQUE WRENCH CALIBRATION SYSTEM



Hand Operated Torque Wrench Calibration System. As per ISO-6789

Capacity	2 to 20 Nm , 20 to 200 and 200 to 2000 Nm
Sensors	3 nos.
Least Count	.001 Nm (20 Nm,) 0.01 (200 Nm) 0.1 (2000 Nm)
Measuring Unit	Nm
Uncertainty	$\pm 0.5\%$ of the reading
Display	5 Digit Micro Controller based LED
Feature	Zero, Peak, First Peak & Over Load Buzzer.
Power Required	230 VAC @ 50 Hz $\pm 10\%$
Enclosure	Powder Coated sheet metal Body
Accessories	Adaptors 1/4", 3/8", 1/2", 3/4", 1" & 1 1/2"
Torque Applying Mechanism	Hand Operated Gear box (Torque Loader)
Warranty	12 months from the date of commissioning
Sensor Cable Length	3 meter

Specification of Digital Display

Type	Micro Controller Based
Display	Digital
Resolution	1/50,000
Accuracy	$\pm 0.03\%$
Feature	Zero, Peak, First Peak & Overload Indication
Power	220 VAC $\pm 10\%$ @ 50 Hz
Enclosure	Powder coated MS cabinet
Warranty	1 Year

JRAGRAU INDUSTRIES

Khewat No. 37, Khata No. 55, Kila No. 33/2/2 (1-12) 9 (5-11), Main Rohtak Road, MIE Indl. Area,
Part 1, (Opp. Metro Pillar No.788) Bahadurgarh. Haryana - 124507

Email: jragrauindustries@gmail.com , Website : www.jragrau.com

(Mob.) + 91 - 9811490150, 9311990150

